

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	54	((modem with integrated with (router or switch)) wireless) @ad<"20010101"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/10 22:38
L2	828	(modem with integrated with (router or switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/10 22:38
L3	522	(modem with integrated with (router or switch)) wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/10 22:38
L4	8	(integrat\$3 with (router\$modem or switch\$modem or modem\$router or modem\$switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/10 22:38
L5	6	(integrat\$3 with (router\$modem or switch\$modem or modem\$router or modem\$switch)) wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/10 22:38
L6	1884	((wireless or cellular) with (call near2 (transfer\$3 or switch\$4 or hand\$off))) (source or destination or (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L7	495	((wireless or cellular) with (call near2 (transfer\$3 or switch\$4 or hand\$off))) (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L8	1184	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L9	0	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4 hand\$off ("remote procedure call") SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L10	83	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L11	0	(handoff\$1 with (application or service) with source) and SIP XML RPC	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L12	371	(wireless or cellular) with call with (transfer or hand\$off) and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L13	248	(wireless or cellular) with call with transfer and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L14	1	((application or call or task or session) with (transfer\$3 or hand\$off or allocat\$4 or assign\$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L15	371	(wireless or cellular) with call with (transfer or hand\$off) and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L16	0	application near2 (transfer\$3 or hand\$off) "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L17	0	(application or call) near2 (transfer\$3 or hand\$off) "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L18	0	"5742905".pn. and (application with transfer\$)	USPAT	AND	ON	2008/01/10 22:38
L19	0	"5742905".pn. ((application or session) with transfer\$)	USPAT	AND	ON	2008/01/10 22:38
L20	248	(wireless or cellular) with call with transfer and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L21	111	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L22	4	(mobility with (service or application)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L23	44	(mobility with (service or application)) 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L24	2	(mobility with (service or application)) 709/203.ccls. IP XML SIP (authori\$7 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L25	88	(mobility with (service or application)) IP XML SIP (authori\$7 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L26	16	(mobility with (service or application)) 709/203.ccls. IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L27	111	((application or call or task or feature or session or state) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L28	21	(handoff\$1 with messag\$3 with source) and SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L29	11	(handoff with (application or service) with source) and (SIP OR XML)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L30	1951	delta and synchron\$4 and server	USPAT; IBM_TDB	AND	ON	2008/01/10 22:38
L31	106	L30 and palm	USPAT; IBM_TDB	AND	ON	2008/01/10 22:38
L32	5	"6885861"	USPAT; IBM_TDB	AND	ON	2008/01/10 22:38
L33	5	"6885861"	USPAT; IBM_TDB	AND	ON	2008/01/10 22:38
L34	60	(wireless or cellular) with (call near2 transfer\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L35	34	((wireless or cellular) with call with (transfer or hand\$off) same (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L36	127	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call" and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L37	116	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) XML script "remote procedure call" (IP adj address) (wireless or cellular or satellite or PDA)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L38	12	(wireless or cellular).ab,ti,clm. adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L39	24	((application or call) near2 (transfer or hand\$off or switch\$3) with (client or user or terminal or device)).ab. and (application adj server) and (IP adj address) and (destination or target or source)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L40	60	(wireless or cellular) adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L41	44	(application or service) near2 (transfer\$3 or hand\$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L42	18	application near2 (transfer\$3 or hand\$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L43	102	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4 hand\$off	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L44	54	(application or call) near2 (transfer\$3 or hand\$off) SIP script SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L45	111	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L46	10	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L47	8	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4 hand\$off ("remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L48	37889	(application or service) near2 (transfer\$3 or hand\$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L49	25955	application near2 (transfer\$3 or hand\$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L50	7	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L51	7	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 allocat\$3 assign\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L52	39772	(application or call) near2 (transfer\$3 or hand\$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L53	7	((application or call or task or session) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L54	8	((application or call or task or session) with (transfer\$3 or hand\$off or allocat\$4 or assign\$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L55	6	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 allocat\$3 assign\$3 invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L56	155	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off or switch\$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L57	104	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off or switch\$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L58	79	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off or switch\$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L59	56	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L60	1813	(application or call) near2 (transfer\$3 or hand\$off) SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L61	4	(mobility with (service or application)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L62	2	(mobility with (service or application)) 709/203.ccls. IP XML SIP (authori\$7 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L63	88	(mobility with (service or application)) IP XML SIP (authori\$7 or authenticat\$3)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L64	44	(mobility with (service or application)) 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L65	16	(mobility with (service or application)) 709/203.ccls. IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L66	111	((application or call or task or feature or session or state) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L67	21	(handoff\$1 with messag\$3 with source) and SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L68	11	(handoff with (application or service) with source) and (SIP OR XML)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L69	1951	delta and synchron\$4 and server	USPAT; IBM_TDB	AND	ON	2008/01/10 22:38
L70	106	L69 and palm	USPAT; IBM_TDB	AND	ON	2008/01/10 22:38
L71	3	((application or session) with transfer\$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") SIP SDP XML script	USPAT	AND	ON	2008/01/10 22:38
L72	31	((application or session) with transfer\$) (source or destination with (IP adj address)) XML SIP script	USPAT	AND	ON	2008/01/10 22:38
L73	6	((application or session) with transfer\$) ((source or destination) with (IP adj address)) XML SIP script	USPAT	AND	ON	2008/01/10 22:38
L74	106	(session with transfer\$ with between with client)	USPAT	AND	ON	2008/01/10 22:38

EAST Search History

L75	251	(application or call) near2 (transfer\$3 or hand\$off) SIP script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L76	191	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L77	0	((application or call or task or session) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L78	164	(application or service) near2 (transfer\$3 or hand\$off) SIP SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L79	191	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L80	164	(application or service) near2 (transfer\$3 or hand\$off) SIP SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L81	495	((wireless or cellular) with (call near2 (transfer\$3 or switch\$4 or hand\$off))) (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L82	1	((application or call or task or session) with (transfer\$3 or hand\$off or allocat\$4 or assign\$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L83	756	((application or call) near2 (transfer or hand\$off or switch) with (client or user or terminal or device)).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L84	782	((wireless or cellular) with (call near2 transfer\$3))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L85	756	((application or call) near2 (transfer or hand\$off or switch) with (client or user or terminal or device)).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L86	1557	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L87	1557	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L88	1557	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L89	1557	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L90	1884	((wireless or cellular) with (call near2 (transfer\$3 or switch\$4 or hand\$off))) (source or destination or (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L91	39772	(application or call) near2 (transfer\$3 or hand\$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L92	25955	application near2 (transfer\$3 or hand\$off)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L93	1184	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L94	1813	(application or call) near2 (transfer\$3 or hand\$off) SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L95	0	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4 hand\$off ("remote procedure call") SIP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L96	0	((application or call or task or session) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 (session near3 transfer)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L97	251	(application or call) near2 (transfer\$3 or hand\$off) SIP script	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L98	83	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L99	0	(handoff\$1 with (application or service) with source) and SIP XML RPC	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L100	74212	((application or session) with transfer\$)	USPAT	AND	ON	2008/01/10 22:38
L101	3	((application or session) with transfer\$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") SDP script	USPAT	AND	ON	2008/01/10 22:38
L102	0	L91 "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L103	0	(application near2 (transfer\$3 or hand\$off)) and "5742905".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L104	1	(handoff with (application or service) with source) and SIP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L105	1	"6339826".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L106	1	"6742022".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L107	1	(mobility with (service near recovery)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L108	1	"6202206".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L109	1	"6339826".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L110	1	(handoff with (application or service) with source) and SIP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L111	1	"5742905".pn.	USPAT	AND	ON	2008/01/10 22:38
L112	1	"5742905".pn. application transfer\$	USPAT	AND	ON	2008/01/10 22:38
L113	1	"5473143".pn.	USPAT	AND	ON	2008/01/10 22:38
L114	1	"5473143".pn. application transfer\$	USPAT	AND	ON	2008/01/10 22:38
L115	60	(wireless or cellular) with (call near2 transfer\$3).ab.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L116	34	((wireless or cellular) with call with (transfer or hand\$off) same (IP adj address))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L117	4	((application or session) with transfer\$) (source or destination with (IP adj address)) XML SIP (RPC or "remote procedure call") script	USPAT	AND	ON	2008/01/10 22:38
L118	1	"6202206".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L119	1.	"6742022".pn.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L120	1	(mobility with (service near recovery)).ab. 709/203.ccls. @ad<"20020205"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L121	127	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) and XML and script and "remote procedure call" and (IP adj address)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L122	116	((application or call or task or feature) with (transfer or hand\$off or switch) with (client or user or terminal or device)) XML script "remote procedure call" (IP adj address) (wireless or cellular or satellite or PDA)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L123	12	(wireless or cellular).ab,ti,clm. adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L124	24	((application or call) near2 (transfer or hand\$off or switch\$3) with (client or user or terminal or device)).ab. and (application adj server) and (IP adj address) and (destination or target or source)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L125	44	(application or service) near2 (transfer\$3 or hand\$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L126	60	(wireless or cellular) adj call with transfer	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L127	18	application near2 (transfer\$3 or hand\$off) SIP SDP IP XML	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L128	102	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4 hand\$off	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L129	54	(application or call) near2 (transfer\$3 or hand\$off) SIP script SDP	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L130	10	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L131	8	((application or call) near2 (transfer\$3 or hand\$off)) script\$4 authenticat\$4 hand\$off ("remote procedure call")	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L132	7	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L133	7	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 allocat\$3 assign\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L134	7	((application or call or task or session) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38

EAST Search History

L135	8	((application or call or task or session) with (transfer\$3 or hand\$off or allocat\$4 or assign\$4) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L136	6	((application or call or task or feature) with (transfer\$3 or hand\$off or switch\$3) with (client or user or terminal or device)) SIP SDP XML RPC ("IP address" or URL or URI) authenticat\$3 allocat\$3 assign\$3 invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L137	155	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off or switch\$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) invite	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L138	104	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off or switch\$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L139	79	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off or switch\$3) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L140	56	((application or call or task or feature or session or state) same (transfer\$3 or hand\$off) same (client or user or terminal or device)) SIP SDP XML ("IP address" or URL or URI) (SIP adj invite) authenticat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	AND	ON	2008/01/10 22:38
L141	1	"6434618".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	AND	ON	2008/01/11 01:12